



CONTRAC

CODY TOILET |

INCLUDED



UNLINED TANK: 4721BFVU
BOWL: 4722BEV

CODY

TWO-PIECE TOILET
4.8L / 1.28GPF

SPECIFICATIONS

DIMENSIONS:
17 ¼" W X 28 ½" D X 30" H

HIGH EFFICIENCY:
4.8 LPF / 1.28 GPF

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

BOWL HEIGHT: 15 ½"

ROUGH-IN: 12" (305MM)

FEATURES:

- ELONGATED BOWL
- CHROME TANK LEVER
- 2" FULLY GLAZED TRAPWAY
- 3" FLAPPER
- SIPHON JET FLUSH ACTION
- 8 ½ X 6 ½ WATER SURFACE
- TOILET SEAT NOT INCLUDED

CERTIFICATIONS:

- IAPMO CUPC
- US EPA WATERSENSE
- ASME A112.19.2 / CSA B45.1
- MAP TESTED 1000G
- LEED COMPLIANT

CATALINA SINK |

INCLUDED



SINGLE HOLE: 4110BGW
4" CENTER: 4140BGW

CATALINA

DROP-IN SINK

SPECIFICATIONS

DIMENSIONS:

20 1/4" W X 17" D X 7 5/8" H

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

FEATURES:

- OVAL DROP-IN
- FRONT OVERFLOW HOLE
- TEMPLATE SUPPLIED

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1
- ADA GUIDELINES & ANSI A117.1
- NBC AND OBC SECTION 3.8
- BARRIER FREE DESIGN
- CSA B651 STANDARD

CAPRICE PEDESTAL |

INCLUDED



BASIN WITH SINGLE HOLE: 4313DMX
4" CENTER: 4343DMX
PEDESTAL LEG: 4344DMX

CAPRICE

PEDESTAL SINK

SPECIFICATIONS

DIMENSIONS:
22 3/4" W X 19" D X 34" H

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

FEATURES:

- REAR OVERFLOW HOLE
- MOUNTING HARDWARE SUPPLIED

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1



TOILETS |

UPGRADE

CALI TOILET |

UPGRADE



UNLINED TANK: 4710BOVU

CALI

ONE-PIECE TOILET
4.8L / 1.28GPF

SPECIFICATIONS

DIMENSIONS:

15 ½" W X 28 ½" D X X 30 ⅛" H

HIGH EFFICIENCY:

4.8 LPF / 1.28 GPF

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

BOWL HEIGHT: 17"

ROUGH-IN: 12" (305MM)

WATER SURFACE: 7 ⅝" X 5 ⅝"

FEATURES:

- ELONGATED BOWL WITH CONCEALED SKIRT TRAPWAY
- SOFT WHITE TANK LEVER
- 2" FULLY GLAZED TRAPWAY
- 3" FLAPPER
- SIPHON JET FLUSH ACTION
- DECORATIVE WHITE SIDES CAPS INCLUDED
- SMOOTH CLOSE TOILET SEAT INCLUDED

CERTIFICATIONS:

- IAPMO CUPC
- US EPA WATERSENSE
- ASME A112.19.2 / CSA B45.1
- MAP TESTED 1000G
- LEED COMPLIANT
- ADA GUIDELINES & ANSI A117.1



UNLINED TANK: 4710BNWU

KIERA

ONE PIECE TOILET

4.8 LPF / 1.28 GPF OR 3LPF / 0.8GPF

SPECIFICATIONS

DIMENSIONS:

15 ½" W X 28 ½" D X 30 1/8"H

HIGH EFFICIENCY:

4.8 LPF / 1.28 GPF

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

BOWL HEIGHT: 17"

ROUGH-IN: 12" (305MM)

WATER SURFACE: 7 ⅞" x 5 ½"

FEATURES:

- ELONGATED BOWL WITH CONCEALED SKIRTED TRAPWAY
- WHITE AND CHROME TOP PUSH BUTTON
- 2" FULLY GLAZED TRAPWAY
- 3" DUAL FLUSH VALVE
- SIPHON JET FLUSH ACTION
- DECORATIVE WHITE SIDES CAPS INCLUDED
- SMOOTH CLOSE TOILET SEAT INCLUDED

CERTIFICATIONS:

- IAPMO CUPC
- US EPA WATERSENSE
- ASME A112.19.2 / CSA B45.1
- MAP TESTED 1000G
- LEED COMPLIANT

CASTLEFIELD TOILET |

UPGRADE



ONE PIECE: TL-1224HCA-EW

CASTLEFIELD
TWO PIECE TOILET
4.8L / 1.28GPF

SPECIFICATIONS

DIMENSIONS:
17 ½" W X 28" D X 31 ¼" H

HIGH EFFICIENCY:
4.8 LPF / 1.28 GPF

MATERIAL: VITREOUS CHINA

COLOUR: AVENUE WHITE

BOWL HEIGHT: 16 ½"

FEATURES:

- CONCEALED SKIRT TRAPWAY
- LINED TANK
- CHROME TANK LEVER
- SMOOTH CLOSE TOILET SEAT INCLUDED
- PLASTIC SIDE CAPS INCLUDED

CERTIFICATIONS:

- IAPMO CUPC
- US EPA WATERSENSE
- ASME A112.19.2 / CSA B45.1
- MAP TESTED 1000G
- ADA GUIDELINES & ANSI A117.1
- CSA B651 BARRIER-FREE STANDARD

EGLINTON TOILET |

UPGRADE



ONE PIECE: TL-3100A-WL

EGLINTON
ONE PIECE TOILET
4.8L / 1.28GPF

SPECIFICATIONS

DIMENSIONS:
14 $\frac{3}{8}$ " W X 28" D X 30 $\frac{3}{4}$ " H

HIGH EFFICIENCY:
4.8 LPF / 1.28 GPF

MATERIAL: VITREOUS CHINA

COLOUR: AVENUE WHITE

BOWL HEIGHT: 16 $\frac{1}{2}$ "

ROUGH-IN: 12" (305MM)

FEATURES:

- CONCEALED SKIRT TRAPWAY
- LINED TANK
- CHROME TANK LEVER
- SMOOTH CLOSE, QUICK RELEASE SLIM DESIGN TOILET SEAT INCLUDED
- PLASTIC SIDE CAPS INCLUDED

CERTIFICATIONS:

- IAPMO CUPC
- US EPA WATERSENSE
- ASME A112.19.2 / CSA B45.1
- MAP TESTED 1000G
- ADA GUIDELINES & ANSI A117.1
- CSA B651 BARRIER-FREE STANDARD

MANNING TOILET | UPGRADE



ONE PIECE: 4710BHXU-TS

MANNING

ONE PIECE TOILET
4.8L / 1.28GPF

SPECIFICATIONS

DIMENSIONS:

15 1/2" W X 26 3/4" D X 30 3/8" H

HIGH EFFICIENCY:

4.8 LPF / 1.28 GPF

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

BOWL HEIGHT: 161/7"

FEATURES:

- ELONGATED BOWL
- CONCEALED SKIRT TRAPWAY
- CHROME TANK TOP BUTTON
- SMOOTH CLOSE TOILET SEAT INCLUDED
- DECORATIVE SIDE CAPS INCLUDED

CERTIFICATIONS:

- IAPMO CUPC
- US EPA WATERSENSE
- ASME A112.19.2 / CSA B45.1
- MAP PREMIUM TESTED 1000G
- LEED COMPLIANT



VANITY SINK |

UPGRADE

CALVIN SINK |

UPGRADE



CALVIN

UNDERMOUNT SINK

SPECIFICATIONS

DIMENSIONS:

OUTER - 19 ¼" W X 16 ⅛" D X 7 ⅝" H

INNER - 17" W X 13 ¾" D X 5 ¾" H

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

UNDERMOUNT: 4220CFY

FEATURES:

- OVAL DROP-IN
- FRONT OVERFLOW HOLE
- TEMPLATE SUPPLIED
- MOUNTING CLIPS NOT INCLUDED

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1

EMERY SINK |

UPGRADE



EMERY

UNDERMOUNT SINK

SPECIFICATIONS

DIMENSIONS:

OUTER - 21 ½" W X 14" D X 8 ¼" H

INNER - 19 ½" W X 12" D X 6 ¼" H

BOWL DEPTH: 8 ¼"

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

UNDERMOUNT: 4220CGY

FEATURES:

- RECTANGULAR UNDERMOUNT SINK
- FRONT OVERFLOW HOLE
- SLOPED BOWL DESIGN
- TEMPLATE SUPPLIED

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1

ABBI SINK |

UPGRADE



VESSEL: 4500ARW

ABBI

VESSEL SINK

SPECIFICATIONS

DIMENSIONS:

16 5/8" W 16 5/8" D 7 5/8" H

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

FEATURES:

- FRONT OVERFLOW HOLE
- SINGLE HOLE FAUCET
- TEMPLATE SUPPLIED

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1

MADISON SINK |

UPGRADE



SEMI RECESSED VESSEL: 13-0087A-W

MADISON

SINK

SPECIFICATIONS

DIMENSIONS:

20 ¼" W X 15 ⅞" D X 5 ½" H

MATERIAL: FINE FIRECLAY

COLOUR: AVENUE WHITE

FEATURES:

- PRIM RIM PROFILE
- CERAMIC COVERPLATE SUPPLIED
- TEMPLATE SUPPLIED

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1

CASTLEFIELD SINK |

UPGRADE



VESSEL: 13-1525A-W

CASTLEFIELD

RECTANGULAR DROP-IN SINK

SPECIFICATIONS

DIMENSIONS:
22" W X 18 1/8" D X 7 1/2" H

MATERIAL: VITREOUS CHINA

COLOUR: AVENUE WHITE

FEATURES:

- REAR OVERFLOW HOLE

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1
- ADA GUIDELINES & ANSI A117.1
- NBC AND OBC SECTION 3.8 BARRIER FREE DESIGN AND CSA B651 STANDARD



PEDESTAL SINK |

UPGRADE

CASTLEFIELD

PEDESTAL |

UPGRADE



CASTLEFIELD

PEDESTAL SINK

SPECIFICATIONS

DIMENSIONS:
24" W X 19" D X 36" H

MATERIAL: FIRE FIRECLAY

COLOUR: AVENUE WHITE

SINGLE HOLE: F-1525A-W
8" CENTER: F-1525A-4W
LEG: L-1525-W

FEATURES:

- RAISED PRIM RIM PROFILE
- REAR OVERFLOW HOLE

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1

PINEVIEW PEDESTAL | UPGRADE



SINGLE HOLE: 4313DSX
8" CENTER: 4343DSX
LEG: 4344DMX

PINEVIEW PEDESTAL SINK

SPECIFICATIONS

DIMENSIONS:
22" W X 18 1/2" D X 33 7/8" H

MATERIAL: VITREOUS CHINA

COLOUR: SOFT WHITE

FEATURES:

- REAR OVERFLOW HOLE

CERTIFICATIONS:

- IAPMO CUPC
- ASME A112.19.2 / CSA B45.1