



Cyclone®

Range Hood Upgrade Options

mattamyHOMES

Benefits of buying with Mattamy

- ✓ 2 Year Product Warranty
- ✓ Professionally installed and move in ready
- ✓ More affordable – added to your mortgage
- ✓ Better selection



Chimney Hood fan Options

Cyclone[®]



SCB502



SCB722

Undermount Hood fan Options

Cyclone[®]



PTB56
Stainless Steel



BX600

Features

- 550 CFM centrifugal fans
- 6” round ducting
- Non-stick fan blades
- Available sizes: 30”/36”
- Available finish: stainless steel

Green Initiatives

Maximize Energy Use: 3 speed push button control panel, and 2 long lasting LED lights

Minimizing Wasted Energy: Time-delay OFF feature up to 9 minutes

Improves Air Quality: Powerful centrifugal blower

Reduce Landfill: Dishwasher-safe permanent stainless steel baffle filters

Avoid Grease Build-up: Grease Extraction technology



Specification

Model	Air Flow Volume	Electrical Connection	Power Consumption	Current	Fan Speed	Fan Type	Finishes	Duct	Width	Noise Level
SCB502	550 CFM	120 V / 60 Hz	300 Watts	2.5 Amps	1599 RPM	Centrifugal Blower	Stainless Steel	6” Round	30”/36”	Min. 2 Sones Max. 6 Sones





Cyclone®

Features

- 650 CFM centrifugal fans
- 6” round ducting
- Non-stick fan blades
- Available sizes: 30”/36”
- Available finish: stainless steel

Green Initiatives

- Maximize Energy Use:** 3 speed push button control panel, and 2 long lasting LED lights
- Minimizing Wasted Energy:** Time-delay OFF feature up to 9 minutes
- Improve Air Quality:** Powerful centrifugal blower
- Reduce Landfill:** Dishwasher-safe permanent stainless steel baffle filters
- Avoid Grease Build-up:** Grease Extraction technology



Specification

Model	Air Flow Volume	Electrical Connection	Power Consumption	Current	Fan Speed	Fan Type	Finishes	Duct	Width	Noise Level
SCB722	650 CFM	120 V / 60 Hz	300 Watts	2.5 Amps	1599 RPM	Centrifugal Blower	Stainless Steel	6” Round	30”/36”	Min. 2 Sones Max. 7 Sones



MASTERS
of FLIP



Cyclone®

Features

- 680 CFM dual axial fan
- 6” round ducting
- Non-stick fan blades
- Available sizes: 30”/36”
- Available finishes: stainless steel



Green Initiatives

- Maximize Energy Use:** 4 speed push button control, and long-lasting LED lights
- Minimizing Wasted Energy:** Time-delay OFF feature up to 3 minutes
- Improve Air Quality:** Powerful dual axial blower
- Reduce landfill:** Dishwasher-safe permanent stainless steel baffle filters
- Avoid Grease Build-up:** Grease Extraction technology

Specification

Model	Air Flow Volume	Electrical Connection	Power Consumption	Current	Fan Speed	Fan Type	Finishes	Duct	Width	Noise Level
PTB56	680 CFM	120 V / 60 Hz	288 Watts	2.4 Amps	1600 RPM	Axial Blower	Stainless Steel/ Matte Black	6” Round	30”/36”	Min. 2 Sones Max. 7 Sones

Features

- 600 CFM centrifugal fan
- 6” round ducting
- Non-stick fan blades
- Available sizes: 28”/34”
- Available finish: stainless steel

Green Initiatives

Maximize Energy Use: 3 speed push button control panel, and 2 long lasting LED lights

Minimizing Wasted Energy: Time-delay OFF feature up to 3 minutes

Improve Air Quality: Powerful centrifugal blower

Reduce Landfill: Dishwasher-safe permanent stainless steel baffle filters

Avoid Grease Build-up: Grease Extraction technology



Specification

Model	Air Flow Volume	Electrical Connection	Power Consumption	Current	Fan Speed	Fan Type	Finishes	Duct	Width	Noise Level
BX600	600 CFM	120 V / 60 Hz	300 Watts	2.5 Amps	1599 RPM	Centrifugal Blower	Stainless Steel	6” Round	28”/34”	Min. 2 Sones Max. 6 Sones



Cyclone®



Cyclone®




Canopy Hood fan



Premier



Decor



Contemporary

All Canopy Hood fans: 30" OR 36"
600 CFM

Cyclone®