



HOOD FANS

CLASSIC COLLECTION | UPGRADE



300CFM - 30" & 36": MCY917R
570CFM - 30" & 36": MCY919R

CLASSIC
UNDER CABINET
STAINLESS STEEL

SPECIFICATIONS

ELECTRICAL CONNECTION: 120V / 60HZ

POWER CONSUMPTION: 200 WATTS / 288 WATTS

CURRENT: 1.8 AMPS / 2.4 AMPS

FAN SPEED: 1350 RPM / 1600 RPM

FAN TYPE: AXAIL BLOWER

GREEN INITIATIVES:

- 3 SPEED PUSH BUTTON CONTROL PANEL
- LONG LASTING LED LIGHTS
- GREASE RING

***PLEASE ASK YOUR DESIGN CONSULTANT FOR CFM REQUIREMENTS**

ALITO COLLECTION |

UPGRADE



300CFM: MSCB314
550CFM: MSCB514

ALITO
WALL MOUNT
STAINLESS STEEL

SPECIFICATIONS

ELECTRICAL CONNECTION: 120V / 60HZ

POWER CONSUMPTION: 300 WATTS

CURRENT: 2.5 AMPS

FAN SPEED: 1350 RPM / 1599 RPM

FAN TYPE: CENTRIFUGAL BLOWER

GREEN INITIATIVES:

- 3 SPEED PUSH BUTTON CONTROL PANEL
- LONG LASTING LED LIGHTS
- TIME DELAY OFF FEATURE UP TO 9 MINUTES
- GREASE CUP

***PLEASE ASK YOUR DESIGN CONSULTANT FOR CFM REQUIREMENTS**

ALITO COLLECTION |

UPGRADE



300CFM: MSCB316
550CFM: MSCB516

ALITO
WALL MOUNT
STAINLESS STEEL

SPECIFICATIONS

ELECTRICAL CONNECTION: 120V / 60HZ

POWER CONSUMPTION: 300 WATTS

CURRENT: 2.5 AMPS

FAN SPEED: 1350 RPM / 1599 RPM

FAN TYPE: CENTRIFUGAL BLOWER

GREEN INITIATIVES:

- 3 SPEED PUSH BUTTON CONTROL PANEL
- LONG LASTING LED LIGHTS
- GREASE CUP

***PLEASE ASK YOUR DESIGN CONSULTANT FOR CFM REQUIREMENTS**

CLASSIC COLLECTION |

UPGRADE



400CFM - 28" & 34": MBXB214
600CFM - 30" & 36": MBX600

CLASSIC

INSERT RANGE HOOD
STAINLESS STEEL

SPECIFICATIONS

AIR FLOW VOLUME: 600CFM

ELECTRICAL CONNECTION: 120V / 60HZ

POWER CONSUMPTION: 300 WATTS / 240 WATTS

CURRENT: 2.5 AMPS / 2 AMPS

FAN SPEED: 1599 RPM

FAN TYPE: CENTRIFUGAL BLOWER

GREEN INITIATIVES:

- 3 SPEED PUSH BUTTON CONTROL PANEL
- GREASE CUP
- LED LIGHT BULBS

***PLEASE ASK YOUR DESIGN CONSULTANT FOR CFM REQUIREMENTS**